

NPDC Tap Reports October 2025 to October 2026

New Plymouth


pH




Temperature (°C)




Ca as $CaCO_3$ (g/m^3)




Total Hardness as $CaCO_3$ (g/m^3)




Fluoride (g/m^3)




Aklalinity as $CaCO_3$ (g/m^3)




Dissolved Solids (g/m^3)



Mg as $CaCO_3$ (g/m^3)




Nitrate as N (g/m^3)




Inglewood


pH




Aklalinity as $CaCO_3$ (g/m^3)




Temperature (°C)




Dissolved Solids (g/m^3)




Ca as $CaCO_3$ (g/m^3)




Mg as $CaCO_3$ (g/m^3)



Total Hardness as $CaCO_3$ (g/m^3)




Nitrate as N (g/m^3)




NPDC Tap Reports October 2025 to October 2026

Oakura


pH




Aklalinity as $CaCO_3$ (g/m^3)




Temperature (°C)




Dissolved Solids (g/m^3)




Ca as $CaCO_3$ (g/m^3)




Mg as $CaCO_3$ (g/m^3)



Total Hardness as $CaCO_3$ (g/m^3)




Nitrate as N (g/m^3)




NPDC Tap Reports October 2025 to October 2026

Okato


pH




Aklalinity as $CaCO_3$ (g/m^3)




Temperature (°C)




Dissolved Solids (g/m^3)




Ca as $CaCO_3$ (g/m^3)



Mg as $CaCO_3$ (g/m^3)



Total Hardness as $CaCO_3$ (g/m^3)



Nitrate as N (g/m^3)

